



KARAMCO

Export catalogue **2020**



Professional Catering Equipment

www.karamanis.gr

www.horecabazaar.gr

Welcome!

KARAMANIS SA was founded in 1959 by Vassilios Karamanis. The company today is being run by the son and is a brand that professional chefs can depend on it.

We are developing and manufacturing professional kitchen, bakery and butchery equipment.

All products are CE certificated and have one year warranty on spare parts that can be delivered all over the world within 24-48 hours.

Our technician will assist you whenever you will contact them.

We keep equipment on stock and we are your right partner.



Our head office & show room
capacity 1.450sq.meters
Athens - Greece



Our warehouse
capacity 3.500sq.meters



Our subsidiary in Rhodes



Our subsidiary in Crete

Terms of sales

- Prices are exworks Athens.
- For orders up to 1.000 extra **discount of 35%** from the price list.
- For orders from 1.001 - 10.000 extra **discount of 35% + 6%** from the price list.
- For orders from 10.001 and above extra **discount of 35% + 10%** from the price list.
- One year warranty in spare parts.

Index

Bain Marie	16, 58
Band Saw	30
Bar Cooler	51
Battery Scale	32
Blast Chiller - Shock Freezer	53
Blender	5
Bowl Cutter	28
Candy Floss Machine	26
Ceramic Contact Grill	20
Ceramic Doner Grill	23
Chocolate Fountain	7
Citrus Juicer	4
Coffee Grinder	7
Coffee Percolator	7
Cold Display Countertop	46, 47, 50
Cold Open Front Display Self Service	48
Convection Oven	39 - 41
Convection Oven With Grill	40
Conveyor Toaster	16, 17
Countertop Cold Display For Gn	49
Donut Fryer	14
Double Electric Fryer	12
Drink Mixer	5
Egg Boiler	15
Electronic Weighting Scale	32
Electronic Weighting Scale	33
Food Dehydrator	37
Food Warmer	25
Fries Warmer Electric	23
Fryer Electric	12
Gas Burners	9
Gas Fryer	13
Gas Grill With Water	11
Glass And Plate Washer Machines	3
Griddle Electric	10
Griddle Gas	11
Hand Wash Basin	2
Heat Pump Dispenser	15
Heated Blender	37
Hot Display Countertop	44, 45
Hot Dog Machine	22
Hot Dog Roller Machine	22
Hot Open Front Display Self Service	45
Ice Cream Display Countertop	47
Ice Crusher	6

Immersion Circulator - Sous Vide Cooking	35
Induction Cooker	8
Insect Killer	2
Kebab Knife	23
Kitchen Master - Heated Mixing Machine	38
Kitchen Tools	57
Knife Sterilizer	1
Knives	54-56
Knives For Vegetable Cutter	31
Lift Salamander - Grill	18
Meat Mincer	29
Meat Tenderizer Electric	30
Microwave Oven	43
Pasta Cooker	14
Pizza Oven Electric	41, 42
Planetary Mixer	27, 28
Plastic Box	42
Platform Scale	33
Pop Corn Machine	26
Potato Chip Cutter	30
Potato Peeler	32
Professional Contact Grill	18, 19
Rice And Preserver Cooker	15
Rotating Waffle Maker	20, 21
Salamander - Grill	17
Slow Whole Juicer	6
Smoker Bags	37
Smoking Gun	36
Soup Kettle	15
Sous Vide Insulation Balls	36
Stainless Steel Basin Accessory For Sous Vide	36
Stainless Steel Support Base	36
Sterilizator With Uvc Lamps And Ozone	1
Stick Blender - Handheld Mixer	27
Toaster Electric	16
Vacumm Bags For Sous Vide	34
Vacuum Blender	5
Vacuum Packing Machine	34, 35
Vacuum Smooth Bags	34
Vegetable Cutter	31
Waffle Maker	20
Warmer	24
Warming Tray Ceramic	25
Wine Display Cabinets	52
Wok Burners	9
High Pressure Fryer	13

STERILIZATOR WITH UVC LAMPS AND OZONE

Multi-function high efficiency sterilization lamp is a new design ultraviolet sterilizing lamp. The functions with sterilization , disinfection , mites removal and formaldehyde removal,mainly focus on the home and public environment to use. Ultraviolet kill microorganisms (bacteria, viruses, spores and other pathogens) through radiation damage to microorganisms and destroy the function of nucleic acids , to achieve the purpose of disinfection. Multi-function high efficiency sterilization lamp is a new design ultraviolet sterilizing lamp. The functions with sterilization , disinfection, mites removal and formaldehyde removal, mainly focus on the home and public environment to use. Ultraviolet kill microorganisms (bacteria ,viruses, spores and other pathogens) through radiation damage to microorganisms and destroy the function of nucleic acids , to achieve the purpose of disinfection. Disinfection of space up to 99.9% with bactericidal UVC lamps with ozone. Adjust the disinfection duration of your space according to the squares and move away from the space since during operation people and animals should not be present. It can be used in places such as hospitals, beauty salons, hotels, restaurants and where it is necessary to sterilize the air. At the same time, it disinfects surfaces such as carpets, bedding and clothing. It also sterilizes and disinfects bacterial pathogens such as staphylococci, salmonella, coronavirus, mites and fungi, destroying the structure of DNA so that it cannot reproduce.



LDS-04-38W



LR-UV-150M

Sterilizes Power 38Watt			Steilizes Power 150Watt		
30 minutes	60 minutes	100 minutes	60 minutes	80 minutes	100 minutes
20m ²	40m ²	60m ²	100m ²	150m ²	180m ²

Model	Type	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
LDS-04-38W	3 options timer 15-30-60 minutes with remote control	Ø210*455	38Watt	0,62	0,02	65
LR-UV-150M	timer 60minutes	242*242*932	150Watt	3,75	0,07	250

KNIFE STERILIZER

Made from stainless.
With UV lamps
Chamber is closed by a smoked plexiglass door.
With timer 120 minutes.
Capacity: 10 knives.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
ABS10	520*140*650	0.15Kw	10	0,6	168

INSECT KILLER

Killer lamp attracts mosquitoes and other flying insects into the electric fly killer using UV lamps. Insects are attracted and easily killed by the high voltage lamps, keeping the area free from chemical sprays. It brings adhesive surface that can be replaced when is full. The average lifespan of the lamp is about 8,000 hours. HACCP approved.



Model	Cover area	Machine dimensions W * D * H mm	Power 230Volt	Weight	CBM	Price €
E36	150m ²	490*90*290	36Watt	3Kg	0,02	55
E36FILTER		Adhesive surface for E36 (set of 10pcs)				5
H30	100m ²	640*100*360	30Watt	4,2Kg	0,03	135
H30FILTER		Adhesive surface for H30 (set of 10pcs)				4



HAND WASH BASIN

Construction AISI 304 stainless steel. With knee control.



Model	Type	Machine dimensions W * D * H mm	CBM	Price €
6EV00086	single inlet	400*400*260	0,05	198
6EV00004	single inlet	500*400*520	0,11	215
6EV00121	double inlet with soap dispener	400*400*260	0,05	259
6EV00120	double inlet with soap dispener	500*400*520	0,11	279

HAND WASH BASIN

Construction AISI 304 stainless steel.



Model	Type	Machine dimensions W * D * H mm	CBM	Price €
6EV00087	single inlet	500*450*850	0,2	331
6EV00014	double inlet	500*450*850	0,2	364
6EV00123	double inlet with soap dispener	500*450*850	0,2	359
6EV00124	double inlet with soap dispener	500*450*850	0,2	392

GLASS AND PLATE WASHER MACHINES

Maximum quality and efficiency, ease to use, with high performance. Low water, energy, detergent and rinse aid consumption for the environment. Constant temperature 82°C. The special design of the spray nozzles and upper - lower rotary arms ensures more efficient washing results wherever products are placed. Water consumption: 3liters/ cycle.

- Water Inlet: 3/4" Depending on the mains pressure, water enters with a pressure between 0.5 bar and 7 bar.
- Boiler Outlet: Water 82°C when it reaches, the pressure remains constant between 0.9 bar and 1 bar.
- 3 programmes 90-120-180 seconds.
- With drain pump & dryer pump.
- Maximum height for the glasses: 32cm for models PBW400P & PBW500P, 42cm for model PBW100P.



Model	Max. power of the boiler	Boiler capacity	Basket mm	Tank capacity	Machine dimensions W * D * H mm	Power	Kg	CBM	Price €
PBW400P	4,5Kw	8Liters	400*400	18Liters	485*510*760	5,1Kw 230Volt	45	0,2	1.190
PBW500P	4,5Kw	7Liters	500*500	45Liters	600*628*836	6Kw 230Volt	55	0,34	1.420
PBW1000P*	9Kw	7Liters	500*500	45Liters	718*793*1929	14,1Kw 380Volt	80	0,95	1.940

* only with drain pump

Cafe - bar

CITRUS JUICER

Commercial citrus juicer with round design.

Aluminium body, no edges or seams for easy cleaning. Easily removable the filter and the juice collector. Suitable for lime, grapefruit, orange and lemons. Thermal protection. Anticorrosion machine with scratch resistance.



CJ6



CJ5



JH-A

Model	Type	RPM	Machine dimensions W * D * H mm	Power	Kg	CBM	Price €
CJ5	electric	1800rpm	410*325*340	180Watt 230Volt	6,5	0,03	160
CJ6	electric with lid	1800rpm	280*200*470	230Watt 230Volt	5,5	0,05	265
JH-A	manual		190*290*430		7,5	0,035	72

DRINK MIXER

Metallic construction. Stainless steel malt beverage cup capacity 1liter. With 2 speeds 4.000 & 15.000 rpm. Solid & butterfly agitators for each the stainless steel shaft. Anticorrosion machine with scratch resistant. Suitable to mix milkshakes and cold ice mixing drinks.



DM-A



DM-B(Axis)

Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
DM-A	145*210*490	350Watt	6,5	0,18	155
DM-B(Axis)	232*200*497	400Watt	3,63	0,26	115

Model DM-B(axis) with 4 different axes.



BLENDER

With 2 unbreakable stackable plastic jugs 0,9lit and 2lit. Robust construction. With speed regulator. Suitable to crush ice. Powerfull motor with stainless steel knives. ON/OFF switch. Pulse function switch.



CB606D



CB669D

Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
CB606D	210*210*500	2Kw	5,5	0,028	170
CB669D	280*350*520	2,2Kw	7,2	0,058	280

Model CB669D with electronic settings, speed and time display. Silent. It has a plastic lid to eliminate noise.

VACUUM BLENDER

Removes the oxygen from the jug, then seals it and begins to mix the raw materials inside. Retains nutrients, color and aroma for much longer time than any other blender. The juice is retained due to the slow decomposition of water by it. Automatic operation. Stainless steel knives. Touch keyboard. 2 speeds 17,000rpm (empty), 14,000rpm (full). Vacuum power: 80kpa. Jug capacity 1 liter. Noise <70db. Comes with a jug, individual blender and manual pump.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
BR230-19E00	200*230*245	800Watt	3,8	0,015	150

SLOW WHOLE JUICER

Ideal for making juices, smoothies, ice creams. Silver color. It has an 83mm diameter supply hole. Minimal preparation is required. Super quite heavy motor type A / C. 35rpm. Easy power supply system. Fruits and vegetables do not lose vitamins due to low speeds and juice production is incomparable! Patented adjustment system for juice flow. Double filter that enhances production efficiency. Juicing automatically without any push fruits. All clear Tritan material BPA free.



5 seconds to install it !!
5 seconds to clean it without brush !!



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
JE230-18M00	255*180*550	250Watt	8	0,03	220

ICE CRUSHER

It crushes the ice in frozen snow. Ideal for cocktails. For commercial use.



ZY-SB108



ERC100/IC-777



ZY-SB114

Model	Type	rpm	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
ZY-SB108	plastic with aluminium hopper Ø10,8cm	1.400	205*320*425	180Watt	6	0,032	90
ERC100/IC-777	Stainless steel blade		430*210*310	180Watt	6,5	0,032	140
ZY-SB114	stainless steel, double knives	1.400	410*250*430	200Watt	9	0,051	245

COFFEE PERCOLATOR

Electric, manual filled machine. Double-walled stainless steel housing. The safety mechanism prevents boiling dry and the coffee machine has an automatic keep warm mode. Without connection for mains water supply. Shatterproof gauge glass. Stainless steel tap and filter. Removable filter. Robust coffee tap. Temperature indicator. On/off switch. Handles with insulation. No paper filter needed. Suitable for coffee and hot water.



Model	Lit	Power 230Volt	Machine dimensions W * D * H mm	Kg	CBM	Price €
ENC-88DR	6,8	950W	Ø220*400	3,1	0,027	88
ENC-100DR	9,1	950W	Ø220*460	3,1	0,028	95
ENC-150DR	11,5	1650W	Ø270*460	3,9	0,029	110

Model	Lit	Power 230Volt	Machine dimensions W * D * H mm	Kg	CBM	Price €
DTL-8E	10	1,5Kw	Ø245*425	3,8	0,03	107
DTL-8B	25	2Kw	Ø290*570	4,6	0,057	135

COFFEE GRINDER

Automatic. With ON/OFF switch. RPM 1.300-1.600rpm. Diameter of the grinding blades: Ø 65mm. Ground coffee container : 400gr. Coffee bean container: 1200gr.



Model	Power 230Volt	Machine dimensions W * D * H mm	Kg	CBM	Price €
SC-360	300W	230*250*610	12	0,04	290

CHOCOLATE FOUNTAIN

Tabletop. Stainless steel construction. Easy to clean. With safety thermostat. Power 230Watt/230Volt. It melts the chocolate very quick.



Model	Chocolate capacity	Layers	Machine dimensions W * D * H mm	Kg	CBM	Price €
LR-20096	3-4lit	4	Ø280x560	8	0,05	480
LR-20099	4-5lit	5	Ø330x680	9	0,086	560
LR-20097	5-6lit	6	Ø360x820	8	0,12	610
LR-20098	6,5-8lit	7	Ø400x1050	15	0,2	820

INDUCTION COOKER .

Tabletop. Stainless steel housing. Temperature adjustment 60-240°C. Timer : 180 minutes. Led screen, protection from overheat. Power adjustment 50-3.500Watt. Smooth surface, easy to clean. Reach the desired temperature very fast!! Glass ceramin cooking surface.



AM-CD101/CD113



AM-CD506



E350D



BT-800A



AM-BCD102



AM-BCD102W



JDL-C35A3-W



AM-CD201



AMC-CD401



AM-BC105

Model	Cooking surface	Heating zone	Power 230Volt	Temperature adjusting	Machine dimensions W * D * H mm	Kg	CBM	Price €
AM-CD101/AM-CD113	Ø26 cm	1	3,5KW	electronic	34*445*117	4,5	0,02	175
AM-CD506	Ø26 cm	1	5Kw	electronic	330*415*100	7,8	0,02	255
E350D	Ø36 cm	1	3,5Kw	electronic	440*540*130	13	0,04	300
BT-800A	Ø40 cm	1	8Kw 380Volt	mechanical	540*500*180	11	0,06	2.000
AM-BCD102	Ø26 cm	1	3,5Kw	mechanical	330*415*100	5,8	0,02	210
AM-BCD102W	Ø27,5 cm	1 wok	3,5Kw	mechanical	330*415*100	5,9	0,02	250
JDL-C35A3-W/BT-350KCT1	Ø27,7 cm	1 wok	3,5Kw	electronic	340*430*120	5,8	0,02	260
AM-CD201	Ø24 cm	2	7Kw	mechanical	410*710*135	12	0,047	890
AM-CD401	Ø24cm	4	10Kw	mechanical	660*600*120	22,5	0,065	1.720
AM-BC105*	GN1/1	1	0,6Kw	mechanical	520*320*150	7,6	0,03	170

*AM-BC105 induction surface, not burner. 50°C to 90°C.

GAS BURNERS

Stainless steel construction, tabletop. With safety thermostat and pilot. Gas connection 3/4". Heavy duty cast iron cooking brackets. Manually controlled, independent hobs. Large, robust dial controls. Burner safety valves. Open burners with power 30,000 Btu each. Removable waste tray. Heavy duty adjustable feet. Removable back flue 280mm



TR-HP212F



TR-HP636F



TR-HP424F

Model	Burners	Machine dimensions W * D * H mm	Power Kw	CBM	Price €
TR-HP212F	2	305*700(835)*300(550)	17,5	0,08	765
TR-HP424F	4	609*700(835)*300(550)	35	0,17	1.270
TR-HP636F	6	915*700(835)*300(550)	53	0,26	1.670

WOK BURNERS

Ideal for Asian cuisine. Stainless steel construction, tabletop. Removable waste tray. Removable wok mounting ring. With safety thermostat and thermocouples. Piezoelectric ignition system for each burner. Easy to clean. 20mbar gas pressure. High power cast iron burners.



TC.7WG400



TC.7WG120

Model	Burners	Power Kw	Machine dimensions W * D * H mm	Kg	CBM	Price €
TC.7WG400	1	18	400*700*300	30	0,1	690
TC.7WG800	2	36	800*700*300	56	0,19	1.140
TC.7WG120	3	54	1200*700*300	82	0,3	1.600



TC.7WG800

GRIDDLE ELECTRIC

Stainless steel construction, tabletop with high splash guard. Smooth cooking surface 70°-300°C. With fat collector and thermostat. Overload protection. Temperature indicator light. Non slip rubber feet. Ideal for cooking all sorts of items such as burgers, sausages, bacon, eggs etc



EG818/HEG818



EG820/HEG820



SP01680 - SP01700


Model	Cooking plate	Power 230Volt	Machine dimensions W * D * H mm	Kg	CBM	Price €
EG818/HEG818	steel 8mm	3kw	550*430*240	18	0,07	135
EG820/HEG820	steel 8mm	4,4kw	730*500*230	22	0,10	190
SP01680	chrome	2,2Kw	525*465*210	24,5	0,08	400
SP01700	chrome	3,2Kw	740*465*210	33,5	0,10	580

GRIDDLE GAS





Stainless steel construction, tabletop, with back splash. Smooth chrome cooking surface 12mm thickness. With fat collector and separate thermostat. Even heat distributing. Piezo spark ignition.



GG-1150C



GG-950C

Model	Burners	Power	Machine dimensions W * D * H mm	Kg	CBM	Price €
GG-650C	2	6 	650*610*340	33	0,16	710
GG-800C	2	6 	800*610*340	44	0,18	850
GG-950C	3	9 	950*610*340	52	0,22	1.050
GG-1150C	4	12 	1.150*610*340	64	0,3	1.300



GG-800C

GRIDDLE GAS

Polished steel cooking surface. Stainless steel construction and finish. Manually controlled, Independent cooking zones. Standing pilot light. Large, robust dial controls. Stainless steel burners. Burner safety valves. Removable waste tray. 3/4" gas connection.



Model	Machine dimensions W * D * H mm	Power	CBM	Price €
TR-G15T	381*700(835)*300(550)	8,8	0,09	910
TR-G24T	625*700(835)*300(550)	17,5	0,18	1.240
TR-G36T	930*700(835)*300(550)	26,3	0,26	1.690

GAS GRILL WITH WATER

High performance commercial stainless steel with U burners. Removable cast iron grids. Flame failure safety. With 280mm removable back flue. Heavy duty metal dial controls. Manual cooktop control valves. Removable front panel for easy service. Removable crumb tray. 3/4" rear gas connection.



Model	Machine dimensions W * D * H mm	Power	CBM	Price €
TR-CBR15F	381*700(835)*300(550)	11,7	0,09	780
TR-CBR24F	625*700(835)*300(550)	23,5	0,18	1.085
TR-CBR36F	930*700(835)*300(550)	35	0,26	1.400

FRYER ELECTRIC

Stainless steel construction, tabletop. With ON/OFF switch. Easy-to-clean removable fry tank. Thermostatic controls between 60°C to 190°C. Fryer basket has front hangers and a coated heat resistant handle for comfortable use. Night cover included.



EF81L



DZL10B



DF-01

Model	Thermostat	Tank capacity	Power	Machine dimensions W * D * H mm	Kg	CBM	Price €
EF81L	190°C	6lit	2,5Kw/230Volt	280*416*310	3,8	0,05	65
DZL10B	200°C	10lit	3Kw/230Volt	270*430*280	4,5	0,05	90
DF-01	190°C	11lit	8,1Kw/380Volt	350*440*360	9	0,06	490

Model DF-01 without removable tank.

DOUBLE ELECTRIC FRYER

Stainless steel construction, tabletop. With ON/OFF switch. Easy-to-clean removable fry tank. Thermostatic controls between 60°C to 190°C. Fryer basket has front hangers and a coated heat resistant handle for comfortable use. Night cover included.



EF82L



DZL-20B

Model	Thermostat	Tank capacity	Power	Machine dimensions W * D * H mm	Kg	DBM	Price €
EF82L	190°C	6+6lit	5Kw/230Volt	580*416*320	6,5	0,10	135
DZL-20B	200°C	10+10lit	6Kw/230Volt	560*430*280	7,6	0,12	179

HIGH PRESSURE FRYER

Stainless steel construction. Large capacity, easy operation ,high efficiency, energy saving. Heating temperature using an electric timing structure and thermal overload protection. Oil drain valve with safety protection. Easy to clean. Aluminum lid, rugged and lightweight ,easy to open and close. For 2-3 chickens. Maximum temperature 200°C.





Model	Tank capacity	Power	Machine dimensions W * D * H mm	Kg	CBM	Price €
MDXZ-16	16lit	3Kw/230Volt	350*400*500	18	0,09	1.140

GAS FRYER

Stainless steel construction, tabletop. Adjustable thermostat 100°C – 180°C. Safety thermostat. Piezoelectric ignition and pilot flame. Monoblock bowl. Adjustable legs. Pressure 20mbar. Stainless steel basket.




Model	Tank capacity	Power	Machine dimensions W * D * H mm	Kg	CBM	Price €
TC.6FG400	8lit	7 	400x630x300	21	0,10	1.170
TC.6FG600	8+8lit	14 	600x630x300	34	0,17	1.690

GAS FRYER

Stainless steel construction. Cast iron burners for each tube. Full port drain. Energy efficient tube. High heat baffle system. Stainless steel tank. Auto safe reset Hi-Limit. With 2 nickle chrome baskets with plastic coated handles. Heavy duty drain valve. International branded thermostat 93°C-205°C. Easy to use. Suitable for crowded mass catering stores.



Model	Tank capacity	Power	Machine dimensions W * D * H mm	Kg	CBM	Price €
TR-F45	20lit	35 	400x770x1350	64	0,92	1.790



ELECTRIC DONUT FRYER

Stainless steel construction, table top. With ON/OFF switch. Adjustable thermostat 0°C - 190°C. Complete with valve. Detachable lid.



Model	Tank capacity	Power	Machine dimensions W * D * H mm	Kg	CBM	Price €
EF-DN	12lit	3Kw/230Volt	460*620*355	15,8	0,18	470

ELECTRIC PASTA COOKER

Stainless steel construction, table top. With ON/OFF switch. It has a separate thermostat for each of the two baskets.



Model	Baskets	Power 230Volt	Machine dimensions W * D * H mm	Kg	CBM	Price €
EPC-4A	4	3,2Kw	420*600*350	15	0,1	400
EPC-6A	6	4,8Kw	600*600*350	21	0,14	550

ELECTRIC PASTA COOKER

Stainless steel construction AISI 304, table top. With ON/OFF switch. Tilt back and removable electrical head assemble to assist with cleaning and removal of oil tank. Immersion type stainless steel tubular element. Element protector and tank base plate. Thermostat control and indicator light. Temperature range : 30°C-100°C. Thermal overload protection. Electrical safety isolation switch. Audible digital timer. 4 stainless steel mesh baskets. Stainless steel water tank with drain. Stainless steel lid. Non slip feet.



Model	Capacity	Baskets	Power 230Volt	Machine dimensions W * D * H mm	Kg	CBM	Price €
SP01520	8Lit	4	2,9Kw	283*516*400	10	0,07	520

RICE AND PRESERVER COOKER

Easy to use rice cookers that give you excellent result in a few minutes. With machine set on "keep warm", cooked rice can remain inside the cooking pan for several hours. Removable non stick pan for easy cleaning.



Model	Capacity	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
ERC-25	4,2lit	Ø440*310	1,55Kw	5,2	0,07	100
ERC-30	6lit	Ø440*335	1,75Kw	7,4	0,07	135
ERC-50	10lit	Ø550*380	3,5Kw	12	0,13	230

EGG BOILER

Countertop. Stainless steel construction. Capacity: 6 baskets/eggs. Temperature indicator light. Different color for each egg.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
EGG-6	370*230*300	2,6Kw	5	0,033	210

HEAT PUMP DISPENSER

Countertop. Stainless steel construction. The dispenser is also called as cheese warmer, food warmer and heat pump dispenser, heat up and holds the cheese, fudge, caramel, chili etc to the best serving temperature at any time. Temperature: 6 level adjustable temperature, maximum to 99°C. Capacity 4,4lit.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
FZ-05A	230*420*388	500Watt	5	0,045	290

SOUP KETTLE

With thermostat 30° - 90°C. With very nice design, black or stainless steel construction. With water bath.



Model	Type	Capacity	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
SK12/SB6000	black	10lit	Ø440x450	0,46Kw	5	0,1	69
SK12D/SB6000S	inox	10lit	Ø440x450	0,46Kw	5	0,1	105

BAIN MARIE

Stainless steel construction, table top. With ON/OFF switch. For commercial use. Deep drawn water basin. You fill it manually with water. Temperature indicator light.



Model	Capacity	Power	Kg	Price €
BNKC-57370	GN1/1x150mm	1Kw/230Volt	7	100

TOASTER ELECTRIC

For professional use in restaurants, snacks and hotels. With removable tray. Insulated stainless steel body. With thermostat and choice for the number of the slices. Temperature indicator light. Slice dimensions: 15*15*2,5cm.



Model	Capacity	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
ETS4A	4 slices	300*250*215	1,8Kw	4	0,02	110
ETS6A	6 slices	400*250*215	2,5Kw	6	0,03	140



CONVEYOR TOASTER

Stainless steel housing. Round sharp design with luxurious view. Drip tray design is easy to clean. Quality heating elements with temperature control. Counter top. Functions: upper resistance only, lower resistance only, resistance up and down. With speed chain adjustment.



Model	Production	Chamber dimensions W * D * H mm	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
H8600A	300-360 slices/hour	250*370*50	330*502*362	1,7Kw	9,6	0,07	390

CONVEYOR TOASTER

With a heavy duty gear-box and chain drive system and is built to manage high volume toasting. Heated by dual robust metal incoloy heating elements and the adjustable controls allow the operators to vary the amount of toasting. The unit can be adapted for pass through or return operation and has a large opening that makes it suitable for bagels and muffins. Stainless steel construction. Top and bottom metal heating elements. Variable speed control of the conveyor belt. Pass-through and return operation. Removable feeder rack and crumb tray. Removable crumb/grease tray. Large cavity opening for bagels, muffins –55mm.

Chamber dimensions: 26x40x7cm, Dual function energy and speed performance control function heat control:

- 1: Dual top and bottom element heating.
- 2: Top element heating.
- 3: ECO energy saving feature



Model	Production	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
SP02710	600 slices/hour	370*420*410	2,6Kw	18,2	0,07	530

CONVEYOR TOASTER

Stainless steel construction. Ideal for buffet at hotels. The unit can be adapted for pass through or return operation and has a large opening. Pass-through and return operation. Removable crumb/grease tray. It brings resistance with economy. Chamber dimensions: 37x37x7cm

Function control: Bread: turns up and down resistance.
Bun: only the upper resistor lights up.
Stand by: waiting, on



Model	Production	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
TCT-02	600-700 slices/hour	510*570*500	2,64Kw	29	0,17	650

ELECTRIC SALAMADER - GRILL

Stainless steel body with adjustable layers. Energy saving, fast and high heating efficiency. Ideal for reheating foods, grilling, toasting. With thermostat. Without timer. Resistance at the upper part. With temperature indicator and adjustable grid.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
HES-938	580*390*380	2,2Kw	15,8	0,11	210
HES-937	790*450*490	4Kw	23,6	0,20	180

ELECTRIC SALAMADER - GRILL

Stainless steel body with adjustable layers. Energy saving, fast and high heating efficiency. Ideal for reheating foods, grilling, toasting. With thermostat and timer. Resistance at the upper part. With temperature indicator and adjustable grid.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
ES580	680*390*390	2,2Kw	17	0,12	290
ES800	800*450*470	4Kw	28	0,20	390

ELECTRIC LIFT SALAMADER - GRILL

Stainless steel body. Easy to operate. Even heat distribution for great cooking results. High quality lifting mechanism. Smooth action, adjustable easy-lift top cooking element. Slide out fat collection tray at bottom of cooking cavity. Variable temperature control. With thermostat. With temperature indicator. Stainless steel grid.



Model	Machine dimensions W * D * H mm	Cooking plate W * D mm	Power 230Volt	Kg	CBM	Price €
EB-450/HES-450	450*450*470	440*320	2,8Kw	36	0,19	600
EB-600	600*450*500	590*320	4Kw	45	0,27	700

PROFESSIONAL CONTACT GRILL

Non-stick coating, removable oil collecting tray. All stainless steel housing. Energy-saving. Over heat protector, thermostat device. Non-stick coating. ON/OFF switch. Heavy duty cast iron plates, variable thermostat 0-300°C. Temperature indicator light.



Model	Type	Cooking surface	Cooking surface W * D mm		Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
			Down	Up					
HEG-811	single	ribbed	226*230	214*214	400*305*210	1,8Kw	12,9	0,05	145
HEG-811E	single	ribbed	335*218	345*230	425*400*210	2,2Kw	17,7	0,06	175
HEG-811B	single	smooth	226*230	214*214	410*310*210	1,8Kw	12,9	0,05	160
HEG-811EB	single	smooth	345*230	338*235	435*410*210	2,2Kw	17,7	0,06	200
HEG-813	double	ribbed	480*225	244*214	580*400*210	3,6Kw	23,5	0,08	280
HEG-813E	double	ribbed	670*230	335*218 x2	845*400*210	4,4Kw	33,8	1	350
HEG-813B	double	smooth	485*235	214*214 x2	570*410*210	3,6Kw	33,4	0,08	310
HEG-813EB	double	smooth	670*230	335*218 x2	845*400*210	4,4Kw	34	0,1	380

PROFESSIONAL CONTACT GRILL

Non-stick coating, removable oil collecting tray. All stainless steel housing. Energy-saving. Over heat protector, thermostat device. Non-stick coating. ON/OFF switch. Heavy duty cast iron plates, variable thermostat 0-300°C. Temperature indicator light.



Μοντέλο	Type	Cooking surface	Machine dimensions W * D * H mm	Cooking surface W * D mm	Power 230Volt	Kg	CBM	Price €
CHZ-810	single	ribbed	305*360*195	225*230	1,8 Kw	13,5	0,05	190
CHZ-810B	single	smooth	305*360*195	225*230	1,8 Kw	13,5	0,05	200
CHZ-820	single	ribbed	425*360*190	340*230	2,2 kw	19	0,06	250
CHZ-820B	single	smooth	425*360*190	340*230	2,2 kw	19	0,06	265
CHZ-810-2	double	ribbed	560*360*195	480*230	3,6 kw	24,5	0,08	380
CHZ-810-2B	double	smooth	560*360*195	480*230	3,6 kw	24,5	0,08	390

ELECTRIC CERAMIC CONTACT GRILL

Black glass ceramic grilling smooth surface made of non-porous material. Smooth top & base. Fast heat recovery. Max. cooking temperature 400°C. Preparation time : 2 ~ 3 minutes.



Model	Machine dimensions W * D * H mm	Cooking plate W * D mm	Power 230Volt	Kg	CBM	Price €
EC-1	340*480*170	250*250	1,6Kw	10,5	0,036	390
EC-2	700*480*170	2x (250*250)	3,2Kw	20	0,072	800

ELECTRIC WAFFLE MAKER

Nonstick plates allow for easy removal of waffles. With pilot light and timer for reminder. Adjustable thermostat 0-300°C. Stainless steel housing. Easy to clean the surface.



Model	Cooking plate W * D mm	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
WB-15	270*185	340*370*240	1,5Kw	11	0,036	230
WS-15	250*250	340*370*240	1,5Kw	11	0,036	240
WM-15	275*245	340*370*240	1,5Kw	11,5	0,036	250
WH-15	250*250	340*370*240	1,5Kw	10,5	0,03	235
HX-6	egg bubble 25m	225*420*290	1,45Kw	8,7		150



ELECTRIC ROTATING WAFFLE MAKER

Nonstick plates allow for easy removal of waffles.
 Reversible 180°. Temperature setting 124 °C - 230 °C.
 With thermostat and grease collector. 99 minute timer.
 Stainless steel housing. Easy to clean the surface.



Model	Cooking plate W * D mm	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
WB-03	Ø185	255*440*320	1Kw	10	003	290

ELECTRIC ROTATING WAFFLE MAKER

Nonstick plates allow for easy removal of waffles. With pilot light and timer for reminder. Adjustable thermostat 0-300°C. Stainless steel housing. Easy to clean the surface.



Model	Type	Cooking plate W * D mm	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
WM-1	single	Ø185	260*440*26	1Kw	8	0,03	200
WM-2	double	2 x Ø185	500*440*260	2Kw	15	0,06	320
CB-01	single	Ø185	260*440*260	1Kw	8	0,03	200
CB-02	double	2 x Ø185	500*440*260	2Kw	15	0,06	320

HOT DOG ROLLER MACHINE

With rollers. Easy to clean. Heavy duty motor-drives the roller. Excellent performance and easy control. It allows fast and even cooking of wurstells and sausages. Temperature indicator light.



Model	Rollers	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
HD-7X	7	440*325*175	0,7Kw	6	0,03	200
KG-7	7	585*345*220	1,4Kw	9,7	0,05	200
SP01600-SC	11	435*520*300	1,21Kw	17,8	0,8	625
SP01630-SC	11	900*520*300	1,21Kw	28,8	0,17	730



HOT DOG MACHINE

Stainless steel construction. With 4 skewers with heating elements for the bread and a glass jug for the sausages. With thermostat. Alluminium water tray. Efficient distribution. Indicator for the temperature. ON/OFF switch. Robust basket. Temperature: 30°C-95°C.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
GRT-HD104A	530*310*460	0,6Kw	8,3	0,09	260

ELECTRIC KEBAB KNIFE

The perfect tool for obtaining tasty, well-prepared, and consistent slices of meat in a matter of seconds. On/off switch in the trigger position and an abrasion-resistant surface. Lightweight plastic anti-slip body. Adjustment ring and screw for desired thickness. Equipped with blade protector. Cutting thickness 1-8mm. Production 60Kg meat per day.



Model	Machine dimensions W * D * H mm	Power	Kg	CBM	Price €
EMS-80/KST100T	215*182*142	80Watt	1,2	0,007	120

ELECTRIC CERAMIC DONER GRILL

Heating elements are infrared heater. Glass in front of the heater. The meat holder is moveable. The heaters can work separately. With very fast infrared resistances. Spit length 75cm (for the meat 54cm). With motor at the bottom of the device for spinning the spit. The doner cooking surface moves to the spit. All stainless steel housing. With drawer for collecting fat. Separate thermostat for each cooking surface. For 30 kilos of meat.



Model	Machine dimensions W * D * H mm	Power 380Volt	Kg	CBM	Price €
DG-01	630*650*875	5,4Kw	30	0,05	690

FRIES WARMER ELECTRIC

On/Off switch. For GN1/1. Compact size and light weight.



WL500



YC001

Model	Type	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
WL500	alluminium construction, with 2 lamps	325*550*500	500Watt	3	0,1	120
YC001	inox construction, with resistances	340*560*500	1Kw	15	0,1	160

WARMER

Stainless steel construction resists corrosion, is easy to clean, and presents an attractive appearance. Keep french fries, rice, fried chicken, pizza, and more at optimal serving temperatures. All units come standard with sturdy stainless steel mounting brackets. Ideal for pass-through stations. Appropriate for countertop shelves



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
ISW-01	610*155*65	0,5 Kw	16	0,01	95
ISW-02	915 155*65	0,85 Kw	18	0,012	115
ISW-03	1220 155*65	1,2 Kw	20	0,014	135
ISW-04	1525 155*65	1,55 Kw	22	0,017	150

WARMER

201 Stainless steel lamp. Hard universal hose, Can be adjusted in all directions



Model	Type	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
DZ-1S	single	Ø 270*700mm	0,25 kw	8,5 Kg	0,06	180
DZ-2S	double	Ø 270*700mm	0,5 kw	10 Kg	0,07	255

WARMER

Telescopic food warming lamp is used for the preservation and preservation of food. It can adjust the height by extension, the adjustment range is 600~1500mm. Power: 250Watt/230Volt.

Weight 1,5Kg.

Model	Color	Machine dimensions Ø mm	CBM	Price €
HL-C	black	Ø270	0,015	96
HL-D	red	Ø290	0,015	96
HL-E	black	Ø290	0,015	96
HL-C SILVER	silver	Ø270	0,015	96
HLE-C	bronze	Ø290	0,015	120
HLE-D	gold	Ø290	0,015	120



WARMING TRAY CERAMIC

Shatter-resistant glass surface, with high grade aluminium alloy frame. Electrical heating membrane, the maximum temperature is 95°C of glass surface. With adjustable thermostat control 40-95°C, for your best suitable temperature. Ceramic glass thickness 5mm. Ideal for buffet or for heated folding in the hot kitchen. Tabletop.



JG-KW01A



JG-KW03A



JG-KW02A

Model	Machine dimensions W * D * H mm	Capacity	Power 230Volt	Kg	CBM	Price €
JG-KW01A	570*350*45	GN1/1	0,15Kw	3,5	0,01	140
JG-KW02A	670*540*45	2 * GN1/1	0,3Kw	5,9	0,02	200
JG-KW03A	1070*540*45	3 *GN1/1	0,3Kw	6,5	0,03	230

FOOD WARMER

Stainless steel construction. With thermostat and On/Off switch. Temperature indicator light. Heating with lamps.



Model	Lamps	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
DR-2	2	780x530x700	1 Kw	12,5	0,32	320
DR-3	3	1070x530x700	1,4 Kw	16,5	0,44	425
DR-4	4	1360x530x700	1,8Kw	21	0,55	520

FOOD WARMER

Stainless steel construction. With ceramic heated surface. With lamps. Seperate adjustmend for the lamps and the surface. Temperature +30°C/+90°C. Capacity: 2*GN1/1.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
YC-002	730x580x550	0,8Kw	5	0,27	400

FOOD WARMER

Stainless steel construction. With ceramic heated surface. With lamps. Temperature +30°C/+90°C. Capacity 3*GN1/1.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
BW-3F	1070x580x570	1,2Kw	19	0,4	550

POP CORN MACHINE

Metallic construction. Beautiful in design and durable. Heavy duty and high efficiency. Red color. Glass thickness 5mm. Production: 8 ounces.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
GRT-ZA-802	565*410*760	1,6Kw	17	0,2	260

POP CORN MACHINE


Metallic construction. Beautiful in design and durable. Heavy duty and high efficiency. Production: 8 ounces. On wheels. With lighting. Easy to clean.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
EBB-06	520*902*1620	1,5Kw	224	0,85	510

CANDY FLOSS MACHINE

With lighting and music. Over-temperature protection device. High technique to save power, complete functions, easy to operate.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
ZY-MJ600 / HEC-03	520*520*490	0,93Kw	13,5	0,15	260

Pizza - pastry

STICK BLENDER - HANDHELD MIXER

Speed regulator 3.000 - 13.000rpm when it works with the axle or 400 - 1.7000rpm when it works with the whisk. Accompanied from axle and whisk. Double motor insulation. Continuous or pulse operation. Mixes ease purees and emulsifies. This hand mixer is a great professional addition to any catering establishment.



Model	Width of the axle & whisk mm	Power 230Volt	Kg	CBM	Price €
HM-177	177	280Watt	2	0,004	160
HM-260*	240/165 the whisk	280Watt	3	0,005	180
HM-265	240	280Watt	2,1	0,005	180
HM-305	305	280Watt	2,2	0,007	195

* HM-260 Until stocks run out

PLANETARY MIXER

Robust alluminium construction. With LCD screen, timer and 6-speed settings with pulse control. Stainless steel bowl with handles. Thermal safety. High feeding mouth transparent cover. Planetary axis movement. Includes: the meat grinder, the pasta machine and a funnel for sausages. Heavy duty!!



Model	Bowl capacity	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
SM-2088G	10lit	380*450*420/550	1,5Kw	12,6	0,08	370

PLANETARY MIXER

The beater moves like planets in the bowl, in order to mix the materials sufficiently. The mixer has reliable performance and overload protection. 3 speeds which cannot be change while the mixer is working. Strong transmission. Supplied with hook, wing and whisk. With belt and gears. Cast iron with scratch resistant coating. Easy for operation and maintenance. Ideal for hotels, restaurants, bakeries, etc.



B20 GA



GRTM30B



GRTM40B



GRT-60C

Model	Bowl capacity	Dough capacity	RPM Speeds	Machine dimensions W * D * H mm	Power	Kg	CBM	Price €
B20 GA	20lit	8-10Kg	462/317/197	540*490*780	1,1Kw/230Volt	83	0,23	780
GRTM30B	30lit	12-15Kg	110/200/420	420*510*820	1,5Kw/230Volt	90	0,20	1.000
GRTM40B	40lit	16-20Kg	65/102/296	550*650*1060	2Kw/380Volt	160	0,46	2.000
GRT-60C	60lit	24-30Kg	82/163/318	820*580*1020	2Kw/380Volt	250	0,56	4.100

BOWL CUTTER

Stainless steel construction. Strong cutlery steel knives. Transparent lid. Safe operations ensured by a system of micro switches on the lid. With speed regulator. Detached motor and stainless steel bowl for a better thermal insulation. Safe operations ensured by a system of micro switches on the lid. With refill opening. Ideal for the production of pesto, sauces, dressings, fillings, e.t.c.



Model	Machine dimensions W * D * H mm	Capacity lit	Kg	Power 230Volt	CBM	Price €
GRT-HR-6	470*290*385	6 (4 beneficial)	19	750Watt	0,06	490
GRT-HR-9	470*290*435	9 (6 beneficial)	20	950Watt	0,07	540
GRT-HR-12	565*365*440	12 (8 beneficial)	22	950Watt	0,1	620

Food processing

MEAT MINCER

Powerful motor. Forward/reverse switch. Compact size and stainless steel construction. Stainless steel cutting knives, stainless steel chopper plates. Rubber feet. It is included with 1 stainless steel knife and 2 grinding plates 6 and 8mm. The grinding part can be removed very easy. Motor protection switch.



GRT-MC22



GRT-MC12



GRT-MC32A



EM.32-10-S

with cooling system and digital control

Model	Use	Production per hour	Machine dimensions W * D * H mm	Power	Kg	CBM	Price €
GRT-MC12	only fresh meat	100Kg	370*215*420	0,8Kw/230Volt	21	0,04	350
GRT-MC22	only fresh meat	180Kg	440*270*385	1,1Kw/230Volt	25	0,54	550
GRT-MC32A (230V)	fresh - frozen meat	280Kg	540*350*560	1,5Kw/230Volt	43	0,12	760
GRT-MC32A(380V)	fresh - frozen meat	320Kg	540*350*560	2,2Kw/380Volt	43	0,12	760

BAND SAW


Stainless steel construction. Tabletop. Wheel Diameter: 120mm. High-efficiency, low consumption, safe and reliable. Easy-to-use handling, clean convenient, stable performance. Size of the working table: 400x436mm. Cutting thickness: 4-180mm. Diameter: 210mm. Ideal for frozen meat , bone , frozen fish, etc.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
GRT-W210A	560*505*910	0,8Kw	46	0,28	1.120

MEAT TENDERIZER ELECTRIC

Ideal for butcheries, supermarkets and restaurants. Stainless steel. Constructed with a tough interior motor, easy to clean shape, hygienic design and simple operation. Robust and full stainless steel model, no sharp corner. Meets the hygiene and all safety regulations. Simple and easy operation and cleaning



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
TR8SH-TDA	205*520*460	0,35Kw	20	0,58	850

POTATO CHIP CUTTER

Stainless steel heavy duty body and blades. Cuts manual fries in pieces for fryer or oven. Tabletop or wall mounted. Including : 4 knives 8mm, 10mm, 12mm and knife for oven potatoes.



GRT-VC01



GRT-VC02

Model	Type	Machine dimensions W * D * H mm	Kg	CBM	Price €
GRT-VC01	table or wall mounted	410*615*290	4,8	0,08	95
GRT-VC02	with suction cups	410*615*290	4,8	0,08	100

VEGETABLE CUTTER

Easy to change discs. Five discs included in the price: 2 for slicing, 3 for grater. Use for all type of Vegetables & fruits preparation. High speed continuous feed precision slicing, grating, chipping, dicing & julienne. RPM: 329minute. Production: 180Kg per hour depends the product. Robust aluminium housing. Safety in the handle and in the lid. Easy to clean it. Two feeding holes, one for large products anf one for smaller products.



VC55MF



LR-MFC65/VC65MS

Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
LR-MFC65/VC65MS	560*270*480	750Watt	26	0,085	700
VC55MF	540*240*450	550Watt	23	0,07	830

KNIVES FOR VEGETABLE CUTTER

Model	Specific knife's cutting thickness mm	Use	Price €
E1	Ø1	for slices	66
E2	Ø2	for slices	66
E3	Ø3	for slices	66
E4	Ø4	for slices	66
E5	Ø5	for slices	66
E6	Ø6	for slices	66
E10	Ø10	for slices	66
V	Ø1	for grater	70
Z2	Ø2	for grater	70
Z3	Ø3	for grater	70
Z4	Ø4	for grater	70
Z7	Ø7	for grater	70
H4	4x4	for chips	95
H6	6x6	for chips	95
H8	8x8	for chips	95
H10	10x10	for chips	95
D8x8	8x8	for cubes	120
D10x10	10x10	for cubes	120
D12x12	12x12	for cubes	120
B6	6x6	for chips	100
B8	8x8	for chips	100
B10	10x10	for chips	100



V



Z3



Z7



E3



E2



H



D



B

For using the D or the B line, you must use a combination with the E line.

POTATO PEELER

Stainless steel body. Easy to clean. Fast peeling without any damaged. The door opening and closing system are easy and reliable. Durable abrasive plate and also at the side walls. It is mainly used for peeling the potatoes. Averse defloration time ~ 2-3 minutes depends of the quality of the potatoes. With water connection. Freestanding on rubber feet.



Model	Power 230Volt	Capacity	Production Kg/hour	Machine dimensions W * D * H mm	Kg	CBM	Price €
PP-8C	0,55 Kw	10 Lit	240-480	460*460*785	42	0,18	640
PP-15C	0,75 Kw	15 Lit	480-900	520*520*850	53	0,25	810
PP-30C	1,5 Kw	30 Lit	1050-2100	600*580*1020	72	0,4	1.080

BATTERY SCALE

For laboratory use. Stainless steel. It has blue backlight digital display Step-on function. With measuring sensor. Material: 4mm tempered glass and 0.3mm stainless steel. Accuracy : 1gr. Division: 1gr. Sensor touch button. Auto off. Weighing in gr, ml, Kg. Accepts AAA battery



Model	Weight capacity	Machine dimensions W * D * H mm	Kg	CBM	Price €
K7H	15Kg/1gr	230*160*18	0,55	0,001	21

ELECTRONIC WEIGHTING SCALE

For laboratory and industrial use. Lightweight, LCD screen. Tare and zero function. Auto off. Auto backlight. Auto hold while stable. Low battery indication. Load cell high precision, stainless steel tray. With adapter. Alkaline batteries (no included). Suitable for restaurants, hotels, e.t.c.

Model	Machine dimensions W * D * H mm	Tray dimensions W * D * H mm	Maximum weight / division	CBM	Τιμή €
FEH-150	248*172*72	Ø 100	150gr / 0,01gr	0,001	95
FEH-600	248*172*72	Ø 100	600gr / 0,01gr	0,001	150
FEH-1500	248*172*72	Ø 100	1,5Kg / 0,1gr	0,001	110
FEH-3000B	248*172*72	165*140	3Kg / 1gr	0,001	68
FEH-6000	248*172*72	165*140	6Kg / 1/2gr	0,001	68
FEH-10000	248*172*72	165*140	10Kg / 2/5gr	0,001	68



ELECTRONIC WEIGHTING SCALE

For laboratory and industrial use. Auto zero tracking. Full tare subtraction. LCD with backlight. Load cell high precision, stainless steel tray. Works with rechargeable battery and adaptor (battery is not included). Suitable for restaurants, hotels, e.t.c.



Model	Machine dimensions W * D * H mm	Tray dimensions W * D * H mm	Maximum weight / division	CBM	Τιμή €
JZC-DAC-3KG	333*288*141	215x275	3Kg / 1gr	0,018	120
JZC-DAC-6KG	333*288*141	215x275	6Kg / 2gr	0,018	120
JZC-DAC-10KG	333*288*141	215x275	10Kg / 2gr	0,018	120
JZC-DAC-20KG	333*288*141	215x275	20Kg / 10gr	0,018	120
JZC-DAC-30KG	333*288*141	215x275	30Kg / 5gr	0,018	120

PLATFORM SCALE

For laboratory and industrial use. Big LCD screen, high precision Load cell, stainless steel tray. Works with rechargeable battery and adaptor (battery is not included)



Model	Machine dimensions W * D * H mm	Tray dimensions W * D * H mm	Maximum weight /divi- sion	CBM	Τιμή €
TCS-AC-60KG	600*700*750	600*700	60Kg / 10gr	0,09	310
TCS-AC-120KG	600*700*750	600*700	120Kg / 20gr	0,09	315
TCS-AC-300KG	600*700*750	600*700	300Kg / 50gr	0,09	335
TCS-AC-600KG	600*700*750	600*700	600Kg / 200gr	0,09	440



VACUUM PACKING MACHINE

Stainless steel housing. Transparent lid so that the whole operation is visible. Heavy-duty handle with "quick start" and "fast gluing" for easy use. Double high pressure pump. Warm-up time 3 seconds. Welding thickness 5mm. Digital display during packaging. Operation for packing marinades. It can seal a bag up to 406mm. Pump pressure -28.3hp / -958mbar.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
YJS773	425*260*125	650Watt	7,2	0,018	390

VACUUM PACKING MACHINE

With oil pump. Packaging and gluing time can be adjusted. Separate gluing function. It also packs liquids. Pump power -29.9hp / -1012mbar. Welding length 290mm. Welding thickness 5mm. It can stick a 300mm bag. Cabin dimensions 350x300x50mm. Fully automatic packing cycle. Stainless steel housing. Stove lid with curve. Safety scitch in the lid.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
C18	425*360*356	950Watt	27,6	0,06	1.100

VACUUM SMOOTH BAGS

Model	Dimensions W * D mm	Pcs/Kg	Price / Kg €
150X250	15*25	162	9,50
150X350ΣΑΚΟΥ	15*35	110	9,50
200X300ΣΑΚΟΥ	20*30	91	9,50
250X350ΣΑΚΟΥ	25*35	65	9,50
300X300ΣΑΚΟΥ	30*30	66	9,50
300X400ΣΑΚΟΥ	30*40	48	9,50



VACUUM BAGS FOR SOUS VIDE

Model	Type	Dimensions W * D mm	Package	Package price €
20150120	smooth	20*25	100pcs	10
20151120	smooth	25*35	100pcs	13
20152120	smooth	30*40	100pcs	19
40310120	emossed	20*25	100pcs	14
40311120	emossed	25*30	100pcs	20

Sous vide cooking - special appliances

With the sous vide method, the temperature accuracy from 0.07 ° C - 0.1 ° C, so that there are no temperature fluctuations and taste alteration. There is a uniform temperature throughout the water in the bucket, so that the product is cooked evenly. When cooking in water instead of air or steam, temperature control is much more accurate. All the recognized chefs worldwide have included some dishes in their menu with this method. Advantages of sous vide: The product does not lose its weight, does not lose its vitamins, does not lose its flavor.

VACUUM PACKING MACHINE

Power: 125Watt/230Volt.

Model **CTO5OVS02**

it can stick a ≤ 30cm bag

Dimensions: 36.8x10.9x6.35cm

FOR HOUSEHOLD USE !!



IMMERSION CIRCULATOR - SOUS VIDE COOKING

Temperature range: 0°C ~ 90°C

Accuracy ± 0.1°C. **For 6-15 liters**

Model **CTO5OP119W10**



BASIN WITH LID

Model **SVC10L**



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
CTO5OVS02	368*109*63,5	125Watt	1	0,025	170
CTO5OP119W10	368*109*63,5	1Kw	1,1	0,025	
SVC10L	GN1/2*200			0,08	40

IMMERSION CIRCULATOR - SOUS VIDE COOKING

Digital indication of temperature and time. Time setting 5 minutes-99 hours. Screen temperature accuracy 0.1°C, temperature regulation 5-95°C. **Suitable for basin 40-45 liters**. Temperature accuracy deviation from the desired +/- 0.5°C. IPX7 waterproof. Uniformity. Heating all over the water surface. LED display. Sound notification when the water level drops from the minimum point. Memory mode: last cooking cycle, temperatures, cooking elements before connecting or shutting down due to power failure.

Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
SV110	93*59*339	1,5Kw	1,6	0,002	370



IMMERSION CIRCULATOR - SOUS VIDE COOKING

Digital indication of temperature and time. Time setting 5 minutes-99 hours. Screen temperature accuracy 0.1 ° C, temperature regulation 5-95. C. **Suitable for basin 50-65 liters**. Temperature accuracy from the desired +/- 0.5. C. Waterproof IPX7. Uniformity. Heating on the entire surface of the water. LED display. Audible notification when the water level rises from the minimum point. Memory function: last cooking cycle, temperatures, cooking elements before disconnecting or shutting down due to power failure.

Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
SV310	142*160*326	2Kw	2,3	0,002	510



SOUS VIDE INSULATION BALLS

Made of polypropylene. When you use them you keep the temperature in your basin.

Model **2**



2

STAINLESS STEEL SUPPORT BASE

To prepare the bag for sous vide.

Dimensions: 230x182x86mm.

Model **PH10**



PH10

STAINLESS STEEL BASIN ACCESSORY FOR SOUS VIDE

It facilitates the placement of the bags for cooking in the basin.

Model **22**



22

Model	Package	Price €
2	100pcs	28
PH10	1pc	65
22	1pc	28

SPHERIFICATOR

The Spherificator is the world's first automatic pearl former - a hand-held device that will produce up to 700 pearls per minute. This is a great tool for foodies, chefs, bartenders, and anyone who loves to entertain! Includes:

1 Imperial Spherificator, 70g Sodium Alginate, 100g Calcium Chloride, 100g Sodium Citrate.



Model	Machine dimensions W * D * H mm	Kg	CBM	Price €
SPHERIFICATOR	Ø110*310	6	0,004	150

SMOKING GUN

produces cold smoke, which allows it to be used for any kind of food or liquid. As a flexible hand-held device, it is easy to use for infusion or finishing with a variety of smoky flavors and aromas. Works with batteries. The package includes:



Model	Type	CBM	Price €
GSM700PSSONUK1	smoking gun	0,004	190
SSM600AWCONEU1	woods with flavor	0,004	36

SMOKER BAGS

You can smoke the food in a convection oven or in a combi oven. Special aluminum bag. Easy, ecological, hygiene. Place the product in the bag (meat, fish, chicken, vegetables) and place it in the oven at 250°C for 15 minutes and then at 190°C for 40-50 minutes. It contains special pieces of wood on the walls and gives flavor and taste to the food. Dimensions: 28x42cm.

Examples of smoking:

Fish fillet 1Kg → 30 minutes

Chicken fillet 1Kg → 50 minutes

Potatoes 1Kg → 55 minutes

Vegetables 1Kg → 20 minutes



Model	Type	Dimensions W * D mm	Price €
30024	for fish	28*42	3
30212	for meat	48*42	3

HEATED BLENDER

Motor full copper motor, strong and high speed desing for commercial application. Stainless steel blades, sharp and durable, adopt the novel wear-resistant and high elasticity oil seal, excellent in preventing from liquid leaking. Jar foodstuff grade PC material, high-temperature resistant and unbreakable. It brings 2 jugs, 1 plastic with capacity 1.2liters and 1 inox jug with capacity 2liters. Electronic adjustment and display for temperature and speed. RPM: until 38.000 rpm



Model	Machine dimensions W * D * H mm	Heating power	Power 230Volt	Kg	CBM	Price €
CB666D	210*240*520	0,7Kw	2,2Kw	7	0,033	250

FOOD DEHYDRATOR

Stainless steel body. With a 12-hour timer. Offering perfect drying results. Ideal for preparation of herbs and spices. Preserve fruits, meats, vegetables, herbs, breads and flowers. Dries food quickly, easy to make healthy, delicious and natural snacks. Accompanied with 10 large removable stainless steel racks dimensioning 430*510mm. Temperature 30 - 75°C. On/Off switch.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
FK-02	435*510*433	1Kw	13,8	0,10	270




KITCHEN MASTER - HEATED MIXING MACHINE

It cooks at low temperatures, keeping the flavors unchanged. Also suitable for traditional recipes. **Kitchen Master is a combination of 11 kitchen appliances, incorporating 23 functions** that reproduce all the cooking techniques to cover the creation of endless dishes. It has a large digital touch screen, easy to use with a thermal power system that controls the temperature at all times to prevent the food from burning. The powerful motor allows professional performance at both low and high speeds, thanks to the dual gear system that transmits to the blades all the power of the engine. The Kitchen Master is the only kitchen machine that includes dough accessory to avoid cutting the dough and to obtain a more homogeneous mass and a larger volume. Thanks to the engine's superpower system, it can cook 2.5 kg of mass with excellent results. The 3.3-liter stainless steel bin allows cooking for more customers. The user can program all the parameters of each function according to their taste, which makes it fully personalized. With 10 cutting speeds, adjustable time from 1 second to 12 hours and temperature control from 37 to 120°C. With these customizations you can edit food for everyday recipes but also more complex ones. It does a 2 level vacuum to do up to 3 processings at the same time. With advanced security system and closing sensor that does not allow its operation if the lid is not closed. Maximum temperature: 120°C. Capacity 3,3liters.



A lot of recipes available

Kitchen master can do:



chopping



mincing



grinding



steaming



whisking



fry




kneading



stirring



kneading



ice crushing

Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
CY009	395*250*330	1,7Kw	8	0,04	540

Ovens

ONVECTION OVEN

Stainless steel construction. Efficient heat distribution. Equipped with one motor. Temperature indicator. Easy to clean. With four rubber feet. Capacity 2 grids or 42liters. Thermostat 60-250°C. Adjustable timer 120minutes. On/ Off switch. Double glass door. Dimensions of the chamber: 458*333*290mm. Dimensions of the grid: 430*325mm.

Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
H7424T	590*480*350	1,7Kw	12	0,12	350



CONVECTION OVEN

Stainless steel construction. Efficient heat distribution. Equipped with one motor. Temperature indicator. Easy to clean. With four rubber feet. Adjustable thermostat 0-250°C. Timer 120minutes. With lighting in the chamber and double glass at the door. Chamber dimensions: 355*330*220mm. Capacity 3 grids or 21liters. Dimensions of the grid: GN 1/2 (325*265mm).

Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
H7210B	475*510*380	2,1Kw	15,5	0,11	470



CONVECTION OVEN

Stainless steel construction. Efficient heat distribution. Equipped with one motor. Temperature indicator. Easy to clean. With four rubber feet. With thermostat. Dimensions of the chamber: 380*305*270mm. Capacity: 3 gastronom 1/2GN (325*265mm).

Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
EN-10	555*488*387	2,5Kw	23	0,12	470



CONVECTION OVEN

Stainless steel construction. Efficient heat distribution. Equipped with one motor. Temperature indicator. Easy to clean. With four rubber feet. With lighting in the chamber and double glass at the door. With enamelled interior. With timer 120minutes. Adjustable thermostat 0-250°C. Capacity: 4 grids or 71 liters. Dimensions of the chamber: 465*420*370mm. Dimensions of the grid: 430*340mm.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
H7571A	675*580*500	2,8Kw	31,6	0,2	440

CONVECTION OVEN WITH GRILL

Stainless steel construction. Efficient heat distribution. Equipped with two motors. Temperature indicator. Easy to clean. With four rubber feet. With thermostat, timer, ventilator and grill at the top. Capacity 4 trays dimensions 454*327mm . Chamber dimensions: 460*370*360mm.



Model	Machine dimensions W * D * H mm	Power 230volt	Kg	CBM	Price €
EN-20 ECO GRILL	595*530*570	4Kw	39	0,20	730

CONVECTION OVEN

Stainless steel construction. Efficient heat distribution. Equipped with one motor. Temperature indicator. Easy to clean. With four rubber feet. With enamelled interior, With timer 105 minutes. Heating elements up and down. With ventilator. Adjustable thermostat: 50-300°C. Capacity: 4* GN1/1 with 65mm height.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
ECO4000	796*670*580	4Kw	70	0,35	930

CONVECTION OVEN

Stainless steel construction. Efficient heat distribution. Temperature indicator. Easy to clean. With four rubber feet. With 2 motors and autoreverse. Timer 105minutes. Adjustable thermostat 50 - 300° C. Capacity 4 trays 600*400mm. Chamber dimensions: 700*360*400mm.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
YSD*8AS	834*672*572	6,4Kw	73	0,36	1.200

PIZZA OVEN ELECTRIC

Stainless steel housing. Capacity: 1 pizza Ø300 mm. Adjustable temperature: 60-300°C. Power: 1,13 Kw/230 Volt. It brings tray dimensions 360*350 mm.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
FP-04D	486*380*188	1,13Kw	8,3	0,04	180

PIZZA OVEN DOUBLE ELECTRIC

Stainless steel housing. Capacity: 1 pizza Ø300mm in each chamber. Adjustable temperature: 60 - 300 °C. Tray dimensions: 360*350 mm.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
FP-03A	486*380*331	2,26Kw	14,7	0,07	310

PIZZA OVEN ELECTRIC



Stainless steel construction. Official heating distribution. Adjustable temperature 0-350°C. Chamber dimensions: 40*40cm. Suitable for one pizza of 40cm. Interior chamber with stone.



Model	Type	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
HEP-1ST	single	560*570*280	2Kw	24	0,1	260
HEP-2ST	double	560*570*44	3Kw	33	0,17	340

PLASTIC BOX

Suitable for pizzerias, patisseries, bakeries. Special for dough. Made of special polyethylene. It withstands temperatures of -40 ° C / + 80 ° C and in the washing machine up to + 120. C. Stackable.



RAL6018	RAL3020	RAL1016	RAL5013	RAL1006
RAL2011	RAL4005	RAL9007	RAL9011	

Upon request in different colors

Model	Capacity	External dimensions W * D * H mm	Internal dimensions W * D * H mm	Kg	Price €
VAS007	13lit	60*40*7cm	57*37*6cm	1,3	8,20
VAS010	19lit	60*40*10cm	57*37*9cm	1,5	8,70
VAS013	26lit	60*40*13cm	57*37*12cm	1,65	12,60
10002		60*40cm	καπάκι για τα κουτιά		7,20
VAS010FA perforated	18lit	60*40*10cm	57*37*9cm	1,5	8,70
VAS010FL perforated	18lit	60*40*10cm	57*37*9cm	1,5	8,70

MICROWAVE OVEN SEMI PROFESSIONAL

Stainless steel construction. Rotating plate. Suitable for plates Ø 270 mm. Chambers dimensions: 344*340*220mm. With defrost function. Capacity: 23liters. Timer: 99minutes. Capacity: 25liters. Power: 900 Watt/230Volt. Consumption: 1400 Watt/230Volt.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
MWOA3GR/MWOA3	483*400*280	900-1400Watt	14,5	0,09	200

MICROWAVE OVEN SEMI PROFESSIONAL

Stainless steel construction inside. Electronic indicator. Three functions: microwave, convection and grill and combination of them, With adjustable intermediate shelf in the chamber. Rotating plate. Suitable for plates Ø315mm. Audio notification when the desired time is completed. Capacity: 34 liters. Microwave output power: 900Watt. With 11 power selection levels. Chamber dimensions: 405*351*238mm.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
D90D34ESXLRII-Y8	498*549*376	900Watt	25,2	0,15	370

MICROWAVE OVEN PROFESSIONAL

Commercial. Heavy duty. Stainless steel construction. With intermediate shelf. With 3 power selection levels. Electronic adjustment and display functions. Chamber dimensions: 374*378*224mm, capacity 30liters, ceramic board.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
P18M30ASL-YL	490*637*405	1800Watt	34,5	0,16	550

Display countertop

HOT DISPLAY COUNTERTOP

Stainless steel construction. With 4 shelves. Adjustable thermostat +30°C/+90°C. Four rubber feet.

Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
SP03080	595*390*500	1,35Kw	22	0,13	380
SP03100	755*390*582	2Kw	28	0,19	480



HOT DISPLAY COUNTERTOP

Brilliant Internal LED illumination on top. Adjustable temperature controller and temperature display digital. Adjustable 3 chrome plated shelves. Front Curved glass. With sliding doors and rubber feet. Easy to clean. Adjustable temperature +30/+90°C.

Model	Capacity	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
RTR-120L	120Lit	678*568*670	1,1Kw	48	0,29	630
RTR-160L	160Lit	856*568*670	1,5Kw	56	0,37	705



HOT DISPLAY COUNTERTOP

Brilliant Internal LED illumination on top. Adjustable temperature controller and temperature display digital. Adjustable 3 chrome plated shelves. Front flat glass. With sliding doors. 4 sides double glass. Adjustable temperature +30°C/+90°C.

Model	Capacity	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
RTR-130L-1	130Lit	678*568*670	1,1Kw	48	0,3	670
RTR-160L-2	160Lit	857*568*698	1,5Kw	52	0,37	820



HOT DISPLAY COUNTERTOP

Stainless steel construction. Internal LED lighting. Adjustable temperature controller and temperature display digital. Adjustable chrome shelves. Front flat glass. With sliding doors and rubber feet. Easy to clean. Temperature +30°C/+90°C.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
GN-660HRT	660*530*730	0,45Kw	55	0,28	690
GN-900HRT	900*530*730	1,3Kw	70	0,38	720
GN-1200HRT	1200*530*730	1,3Kw	85	0,5	800

HOT DISPLAY COUNTERTOP

Brilliant Internal LED illumination on top. Adjustable temperature controller and temperature display digital. Adjustable 3 chrome plated shelves. Front curved glass. With sliding doors and rubber feet. Easy to clean. 4 sides double glass. Temperature +30°C/+90°C.



Model	Capacity	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
RTR-130L-2	130Lit	779*590*685	1,1Kw	55,4	0,35	940

HOT OPEN FRONT DISPLAY SELF SERVICE

Stainless steel construction. Internal LED lighting. Adjustable temperature controller and temperature display digital. Adjustable 3 chrome shelves. Temperature +30°C/+90°C. It brings 4 wheels, 2 with brake.



Model	Capacity	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
RTR-220L	220Lit	494*600*1742	2Kw	67	0,56	1.800

COLD DISPLAY COUNTERTOP

Brilliant Internal LED illumination on top. Adjustable temperature controller and temperature display digital. Adjustable 2 chrome plated shelves. Front Curved glass. With sliding doors and rubber feet. Easy to clean. 4 sides double glass. Ventilated cooling system. Automatic defrost Temperature 0°C/+12°C.



Model	Shelf dimensions W * D mm	Capacity	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
RTW-120L	550*340	120Lit	696*568*686	1,1Kw	64	0,29	845
RTW-160L	680*340	160Lit	874*568*686	1,5Kw	71	0,37	910

COLD DISPLAY COUNTERTOP

Internal top LED lighting. Adjustable temperature controller and temperature display digital. Adjustable 2 chrome plated shelves. Front Curved glass. With sliding doors and rubber feet. Easy to clean. 4 sides double glass. Ventilated cooling system. Automatic defrost. Temperature 0°C/+12°C.



Model	Capacity	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
RTW-100L	100lit	682*450*675	0,16Kw	39	023	645

COLD DISPLAY COUNTERTOP

Stainless steel construction. Internal LED lighting. Adjustable temperature controller and temperature display digital. Adjustable 2 chrome plated shelves. Front flat glass. With sliding doors and rubber feet. Easy to clean. Ventilated cooling system. Freon R134a. Automatic defrost. Temperature +2°C/+8°C.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
GN-660RT	660*530*730	450	55	0,28	810
GN-900RT	900*530*730	550	70	0,38	880
GN-1200RT	1200*530*730	650	85	0,50	960

COLD DISPLAY COUNTERTOP

Stainless steel construction. Internal LED lighting. Adjustable temperature controller and temperature display digital. Adjustable 3 chrome plated shelves. Front curved glass. With sliding doors and rubber feet Easy to clean. Ventilated cooling system. Freon R134a or R600a. Automatic defrost. Temperature +2°C/+8°C.



Model	Capacity	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
RTW-130L-2	130Lit	795*590*685	200 Watt	66	0,35	950
RTW-201L	201Lit	1217*590*685	375 Watt	85	0,53	1.400

COLD DISPLAY COUNTERTOP

Stainless steel construction. Digital temperature controller and display. Automatic defrost. Static cooling system. Folding complete glass cover. On/off switch. With adjustable feet. Sliding doors, easy to clean. With four rubber feet. Freon R134a. Temperature: +2°C / +12°C.



Model	Capacity	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
RTW-118L	118lit	695*882*417	110Watt	38,5	0,29	730

ICE CREAM DISPLAY COUNTERTOP

Stainless steel construction. Digital temperature controller and display. Automatic defrost. Folding complete cover. On/off switch. With adjustable feet. Freon R134a or R600a. Class 4. Easy to clean. With four rubber feet. Capacity 8 gastronom 1/6. Temperature -18/-25°C



RTD-67L



RTD-77L



Model	Capacity	Machine dimensions W * D * H mm	Kg	CBM	Price €
RTD-67 L	67Lit	767*612*328	25	0,18	1.000
RTD-77L	77Lit	805*666*305	38	0,18	1.120

COLD OPEN FRONT DISPLAY SELF SERVICE

Stainless steel 201 construction. Accompanied with night curtaine. Internal LED lighting. Adjustable temperature controller and temperature display digital. Adjustable 3 chrome plated shelves. It brings 4 wheels, 2 with brake. Ventilated cooling system. Freon R404a. Temperature +2°C/+10°C.



Model	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
GN-700OC	700*670*1900	980Watt	115	1,0	1.980
GN-1000OC	1000*670*1900	1100Watt	148	1,55	2.300
GN1500OC	1500*670*1900	1400Watt	191	2,2	2.980

COLD OPEN FRONT DISPLAY SELF SERVICE

Stainless steel 201 construction. Accompanied with night curtaine. Internal LED lighting. Adjustable temperature controller and temperature display digital. Adjustable 3 chrome plated shelves. It brings 4 wheels, 2 with brake. Ventilated cooling system. Freon R134a or R404a. Temperature +2°C/+10°C.



Model	Capacity	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
RTS-250L	250Lit	686*610*1740	1,56Kw	115	0,8	2.110

COUNTERTOP COLD DISPLAY FOR GN

Stainless steel construction. With glass case. Static cooling. Foamed evaporator with adjustable feet. Automatic defrost. Accepts GN1/4*150mm or GN1//3*150mm gastronom (not included). FREON R134A



Model	Capacity	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
VETRO0	5 x GN1/4 h15cm	1200*335*435	110 Watt	25	0,18	520
VETRO2	7 x GN1/4 h15cm	1500*335*435	110 Watt	29	0,23	570
VETRO3	8 x GN1/4 h15cm	1800*335*435	125 Watt	32	0,28	650
VETRO4	10 x GN1/4 h15cm	2000*335*435	125 Watt	34	0,32	690
VETRO5	4 x GN1/3 h15cm	1200*395*435	110 Watt	28	0,19	570
VETRO6	6 x GN1/3 h15cm	1500*395*435	115 Watt	31	0,24	620
VETRO7	8 x GN1/3 h15cm	1800*395*435	125 Watt	35	0,29	790
VETRO8	9 x GN1/3 h15cm	2000*395*435	125 Watt	37	0,33	810

COLD DISPLAY COUNTERTOP

Internal LED top lighting. Adjustable temperature controller. Adjustable PVC coated shelves. Static cooling, automatic defrost. Temperature +4°C/+10°C. Painted steel with plastic. Equipped with 2 or 3 grids. Double glass on the four sides. FREON R134a. Fixed feet.



WHITE

BLACK

SILVER

Model	Capacity	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
RT-58L white	58lit	428*386*810	160Watt	30Kg	0,15	400
RT-58L silver	58lit	428*386*810	160Watt	30Kg	0,15	480
RT-58L black	58lit	428*386*810	160Watt	30Kg	0,15	440
RT-78L white	78lit	428*386*960	160Watt	34Kg	0,18	450
RT-78L silver	78lit	428*386*960	160Watt	34Kg	0,18	490
RT-78L black	78lit	428*386*960	160Watt	34Kg	0,18	460

BAR COOLER

Black painting exterior and white painting interior. Digital temperature controller. Self-closing door design. 2 White adjustable shelvess. LED lighting. Opening or sliding doors. Adjustable temperature: +2°C/+10°C.



Model	Machine dimensions W * D * H mm	Doors	Power 230Volt	Kg	CBM	Price €
GN-126H	600x505x895	1 opening	250Watt	47	0,29	510
GN-220H	920x505x895	2 opening	280Watt	63	0,45	600
GN-220HS	920x505x895	2 sliding	280Watt	63	0,45	660
GN-320H	1335x510x895	3 opening	350Watt	82	0,66	685
GN-320HS	1335x505x895	3 sliding	350Watt	82	0,66	750

BAR COOLER

Stainless steel exterior and white painting interior. Digital temperature controller. Self-closing door design. 2 White adjustable shelvess. LED lighting. With opening or sliding doors. Adjustable temperature: +2°C/+10°C.



Model	Machine dimensions W * D * H mm	Doors	Power 230Volt	Kg	CBM	Price €
GN-126L	600x505x895	1 ανοιγόμενη	250Watt	47	0,29	740
GN-220L	920x505x895	2 ανοιγόμενες	280Watt	63	0,45	850
GN-220LS	920x505x895	2 συρόμενες	280Watt	63	0,45	875
GN-320L	1335x510x895	3 ανοιγόμενες	350Watt	82	0,66	1.000
GN-320LS / BBT350SS	1335x505x895	3 ανοιγόμενες	350Watt	82	0,66	1.050

WINE DISPLAY CABINETS

One temperature zone. Internal light and double glass at the door. Door with lock and black frame. The capacity is in bottles without shelves. Temperature +5°C ~ +22°C. FREON R600a.



Model	Capacity	Shelves	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
YC-103	103lit or 48 bottles	3 + 1	595x590x840	85Watt	48	0,32	530
YC-270	270lit or 96 bottles	8 + 1	595x590x1640	150Watt	75	0,6	840
YC-450	450lit or 193 bottles	9 + 1	595x590x1800	160Watt	90	0,7	980

WINE DISPLAY CABINET

Two temperature zones. Internal light and double glass at the door. With wooden shelves. LCD screen. Temperature +5°C/+22°C and +12°C/+22°C. FREON R134a or R600a. Humidity 60%.



Model	Capacity	Shelves	Machine dimensions W * D * H mm	Power 230Volt	Kg	CBM	Price €
H120D-A1F	320lit or 83 bottles	12	590*680*1630	165Watt	85	0,6	1.060

BLAST CHILLER - SHOCK FREEZER

Stainless steel AISI 304 18/10. FREON R404a ecological. Necessary for the cook & chill method. Digital temperature control. Functions: BLAST CHILLING: 90 minutes cycle, from 70°C the food reaches + 3°C. The food can be kept in the refrigerator for up to 6 days. SHOCK FREEZING: 240 minute cycle, from 70°C the food reaches -18°C. The food can be kept in the refrigerator for up to 60 days. Aspera or Danfoss cooling compressor unit. Insulation thickness 75mm. Self closing door. Equipped with probe.



Model	Capacity	Production		Machine dimensions W * D * H mm	Power 230volt	Kg	CBM	Price €
		Chilling	Freezing					
G-T3	3 * GN2/3	8Kg	5Kg	660x650x430	0,5Kw	41,5	0,20	2.050
G-D5	5 * GN1/1 ή 60x40cm	18Kg	14Kg	800x815x1015	0,72Kw	116	0,80	3.400
G-D10	10 * GN1/1 ή 60x40cm	40Kg	28Kg	800x815x1645	0,9Kw	150	0,12	4.200

kitchen accessories



PEELING KNIFE

Cm	Code	€
6,5	KB-07-65YD-BK101-CP-CP	2



PARING KNIFE

Cm	Code	€
9	KB-06-90SYD-BK101-CP-CP	2

MULTI PURPOSE KNIFE

Cm	Code	€
9	KB-06-90YD-BK101-CP-CP	2



CHEFS KNIFE

Cm	Code	Code	Code	€
16	KB-2201-160-BK101-CP-CP	KB-2201-160-RD101-CP-CP	KB-2201-160-GR101-CP-CP	10
20	KB-2201-200-BK101-CP-CP	KB-2201-200-RD101-CP-CP	KB-2201-200-GR101-CP-CP	13
25	KB-2201-250-BK101-CP-CP	KB-2201-250-RD101-CP-CP	KB-2201-250-GR101-CP-CP	14



BUCHERS KNIFE

Cm	Code	Code	Code	€
18	KB-2243-180-BK101-CP-CP	KB-2243-180-RD101-CP-CP	KB-2243-180-YL101-CP-CP	13
20	KB-2243-200-BK101-CP-CP	KB-2243-200-RD101-CP-CP	KB-2243-200-YL101-CP-CP	14
25	KB-2243-250-BK101-CP-CP	KB-2243-250-RD101-CP-CP	KB-2243-250-YL101-CP-CP	17



BONING KNIFE

Cm	Code	Code	Code	€
15	KB-2208-150A-BK101-CP-CP	KB-2208-150A-RD101-CP-CP	KB-2208-150A-YL101-CP-CP	9





BONING KNIFE, NARROW CURVED BLADE

Cm	Code	Code	Code	€
15	KB-2258-150-BK101-CP-CP	KB-2258-150-RD101-CP-CP	KB-2258-150-YL101-CP-CP	9

BREAD KNIFE

Cm	Code	€
20	KB-2255-200-BK101-CP-CP	9
25	KB-2255-250-BK101-CP-CP	11



SANTOKU KNIFE

Cm	Code	€
18	KB-2221-180G-BK101-CP-CP	13



ROAST SLICER SERRATED

Cm	Code	€
30	KB-2266-300G-BK101-CP-CP	13



MEAT CLEAVER

Cm	Code	€
20	KB-2288-200-RD101-CP-CP	24



KNIFE SHARPENING

Cm	Code	€
23	KB-3377-230-BK101	12
30	KB-7577-300-BK101	18



KNIFE POUCH WITH 6 SEATS

Code	€
RO-004	20



SANTOKU KNIFE

Cm	Code	€
16,5	JP-1111-165-CP-CP	21



DEBA KNIFE

Cm	Code	€
18	JP-1191-180-CP-CP	35
21	JP-1191-210-CP-CP	39
24	JP-1191-240-CP-CP	40



NAKIRI KNIFE

Cm	Code	€
16,5	JP-1133-165-CP-CP	35
18	JP-1133-180-CP-CP	39
21	JP-1133-210-CP-CP	40



SASHIMI KNIFE

Cm	Code	€
21	JP-1190-210-CP-CP	27
24	JP-1190-240-CP-CP	28
27	JP-1190-270-CP-CP	31



BUTTER SPREADER

Cm	Code	€
8,5	GS-10509-85P-BK101-CP-CP	4,8



LEMON ZESTER

Code	€
GS-10927-CZ-BK101	4,8



CHANNEL KNIFE

Code	€
GS-10928-BK101	4,8



DOUBLE MELON BALLER Ø22mm - Ø25mm

Code	€
GS-10832-22/25-BK201-CP-CP	6,5



CHEESE PLANE

Code	€
GS-10930-HD-BK101	6



CITRUS PEELER

Code	€
GS-10943-BK101	5



CAN OPENER

Code	€
GS-10940-01-BK101	9



DOUBLE LEMON ZESTER

Code	€
GS-10827/28-ZS-BK201-CP-C	6,5





thickness 5mm

Bain marie stackable inox GN1/1

Cms.	Lit.	H. Cms.	Ref.	€	Pack
62x36,5	9	36,5	833B-01	60,00	1



thickness 6mm

Bain marie roll top inox GN1/1

Cms.	Lit.	H. Cms.	Ref.	€	Pack
67,5x53	9	44,5	YH723D	205,00	1

Suitable for induction cooking. It brings hydraulic soft closing. Stainless 8mm thick. The lid is removed very easily. The droplets from the vapor, returning back into the water tank.



Soup kettle inox with sandwich bottom

Cms.	Lit.	H. Cms.	Ref.	€	Pack
49,5x47	11	32,5	10-11L	355,00	1



Bain marie inox with sandwich bottom GN1/1

Cms.	Lit.	H. Cms.	Ref.	€	Pack
58,5x45,5	9	21	1011L	575,00	1



Bain marie inox with sandwich bottom GN2/3

Cms.	Lit.	H. Cms.	Ref.	€	Pack
45,5x41	5,5	21	1032L	435,00	1



Bain marie inox with sandwich bottom

Cms.	Lit.	H. Cms.	Ref.	€	Pack
47x39	4	21	1040L	415,00	1

Suitable for induction cooking. It brings hydraulic soft closing. Stainless 304 1/10 8mm thick. The lid can be removed very easily. The droplets from the vapor, returning back into the water tank. Glass lid that opens 90° and stays open 70°. With height adjustment.



Bain marie inox with sandwich bottom GN1/1

Cms.	Lit.	H. Cms.	Ref.	€	Pack
------	------	---------	------	---	------



Bain marie inox with sandwich bottom GN2/3

Cms.	Lit.	H. Cms.	Ref.	€	Pack
47x40,5	6	18	4032L	750,00	1



**28, Policratus str, 182 33 Rentis
Athens - Greece**

phone: +30. 210 4826940 fax: +30.210 4824248

email: sales@karamanis.gr

www.karamanis.gr www.horecabazaar.gr